


WHAT IS CLAIMED IS:

1. A lubricant composition comprising at least one compound selected from the group represented by a formula (1);

5 Formula (1)




where D represents an m-valent cyclic group capable of bonding to "m" of -X-R; Xs respectively represent a single bond or a bivalent linking group selected from the group consisting of NR<sup>1</sup>, where R<sup>1</sup> is a hydrogen atom or a C<sub>1-30</sub> alkyl group, oxygen, sulfur, carbonyl, sulfonyl and any combinations thereof; Rs respectively represent a substituted or non-substituted alkyl group, alkenyl group, alkynyl group, aryl group or heterocyclic group provided that at least one R contains an ester bond; and  
15 m is an integer from 2 to 11.

2. The lubricant composition of claim 1, wherein D is selected from five-, six- or seven-membered heterocyclic groups.

20 3. The lubricant composition of claim 1, wherein the compound is selected from the group represented by a formula (2);


Formula (2)



where  $X^1$ ,  $X^2$  and  $X^3$  respectively represent a single bond or a bivalent linking group selected from the group consisting of  $NR^1$ , where  $R^1$  is a hydrogen atom or a  $C_{1-30}$  alkyl group, oxygen, sulfur, carbonyl, sulfonyl and any combinations thereof; and  $R^{11}$ ,  $R^{12}$  and  $R^{13}$  respectively represent a substituted or non-substituted alkyl group, alkenyl group, alkynyl group, aryl group or heterocyclic group provided that at least one of  $R^{11}$ ,  $R^{12}$  and  $R^{13}$  contains an ester bond.

4. The lubricant composition of claim 1, wherein the compound is selected from the group represented by a formula (3);


Formula (3)



where  $X^{21}$ ,  $X^{22}$  and  $X^{23}$  respectively represent a single bond or a bivalent linking group selected from the group consisting of  $NR^1$ , where  $R^1$  is a hydrogen atom or a  $C_{1-30}$  alkyl group, oxygen, sulfur, carbonyl, sulfonyl and any combinations thereof;  $R^{21}$ ,  $R^{22}$  and  $R^{23}$  respectively represent a substituent group provided that at least one of  $R^{21}$ ,  $R^{22}$  and  $R^{23}$  contains an ester bond; and  $a_{21}$ ,  $a_{22}$  and  $a_{23}$  respectively represent an integer from 1 to 5.

5. A triazine-ring-containing compound represented by a formula (2);


Formula (2)



5 where  $X^1$ ,  $X^2$  and  $X^3$  respectively represent a single bond or a bivalent linking group selected from the group consisting of  $NR^1$ , where  $R^1$  is a hydrogen atom or a  $C_{1-30}$  alkyl group, oxygen, sulfur, carbonyl, sulfonyl and any combinations thereof; and  $R^{11}$ ,  $R^{12}$  and  $R^{13}$  respectively represent a substituted or  
 10 non-substituted alkyl group, alkenyl group, alkynyl group, aryl group or heterocyclic group provided that at least one of  $R^{11}$ ,  $R^{12}$  and  $R^{13}$  contains an ester bond.

6. The triazine-ring-containing compound of claim 5, which  
 15 is represented by a formula (3);


Formula (3)



where  $X^{21}$ ,  $X^{22}$  and  $X^{23}$  respectively represent a single bond or a bivalent linking group selected from the group consisting of  $NR^1$ , where  $R^1$  is a hydrogen atom or a  $C_{1-30}$  alkyl group, oxygen, sulfur, carbonyl, sulfonyl and any combinations thereof;  $R^{21}$ ,  $R^{22}$  and  $R^{23}$  respectively represent a substituent group provided that at least one of  $R^{21}$ ,  $R^{22}$  and  $R^{23}$  contains an ester bond; and  $a_{21}$ ,  $a_{22}$  and  $a_{23}$  respectively represent an integer from 1 to 5.

7. The triazine-ring-containing compound of claim 6, wherein at least one of  $R^{21}$ ,  $R^{22}$  and  $R^{23}$  is selected from the group represented by a formula (4);


Formula (4):



where  $L^{01}$  is a bivalent linking group selected from the group consisting of a alkylene group,  $NR^1$ , where  $R^1$  is a hydrogen atom or a  $C_{1-30}$  alkyl group, oxygen, sulfur, carbonyl, sulfonyl and any combinations thereof and the bivalent linking group may be substituted or non-substituted;  $R^{01}$  is a substituted or non-substituted  $C_{1-30}$  alkyl group; and  $p$  and  $q$  respectively represent an integer.

8. The triazine-ring-containing compound of claim 6, wherein at least one of  $R^{21}$ ,  $R^{22}$  and  $R^{23}$  is selected from the group represented by a formula (5);


Formula (5)



where  $R^{01}$  is a substituted or non-substituted  $C_{1-30}$  alkyl group, and m and n respectively represent an integer.

9. The triazine-ring-containing compound of claim 6,  
5 wherein at least one of  $R^{21}$ ,  $R^{22}$  and  $R^{23}$  is selected from the group represented by a formula (6);

Formula (6):



where  $R^{25}$  is a substituent group and a24 is an integer from  
10 1 to 5.